



# Ducted Gas Heating



# Australia's leading climate system

As a proud brand of Rinnai Australia, Brivis has been providing heating and cooling solutions to Australian homes for over 50 years. Our local manufacturing facility, located in Braeside Victoria, employs over 200 dedicated people and is home to some of Australia's most innovative heating and cooling products.

Brivis pioneered the very first 5 Star Ducted Gas Heater and has been instrumental in introducing some of the newest and most efficient systems in Australia - including the Contour Evaporative Cooler and the 6 star Ducted Gas Heater. In fact, some of our very first gas heaters are still in operation today, nearly 50 years on. That's why Brivis has been benchmarked for their excellence in engineering.




## At Rinnai, we're all about comfort

For over 50 years, Rinnai has supplied Australian homes with a range of appliances that help people lead comfortable, safe and efficient lifestyles.

Being driven to create comfort means that we really care about our products and your experience from start to finish. We're focused on developing products with the latest technology and our level of quality is second-to-none, so you can rest assured knowing Rinnai will deliver.

# Whole home heating

Incredibly effective and simple to operate



## How does Ducted Gas Heating work?

Brivis Ducted Gas Heating comprises a heating unit connected to a series of outlets via a system of ducts. Ductwork and outlets supplied by your installer are strategically placed throughout your home, either in the floor or ceiling. The position of the heating unit depends on your house.

The Brivis Ducted Gas Heating system draws air from inside your home through the heater where it is warmed. A fan pushes it into the rooms of your home via the outlets and duct network, in the form of a steady, gentle supply of warm air.

The Brivis controller monitors the air temperature on a continual basis and controls the Brivis Ducted Gas Heating system to ensure a consistently warm temperature throughout the home. On our higher efficiency models, as the home heats up, the heater modulates the gas so only a small amount of energy is used to keep the space at your desired comfort level.

Once your home reaches your desired temperature the heater unit switches off once all the hot air inside the unit has been used.

## Brivis Performance Guarantee

Expert design and installation are essential in ensuring optimum operation and maximum performance.

The unique Brivisize software enables designers, in consultation with you, to accurately select the perfect Brivis appliance for your home.

After using the guide and having your Brivis product correctly installed and commissioned by a licensed professional, if the Brivis unit does not perform as it was designed to do, Brivis will repair or replace the Brivis appliance free of charge, or refund your money.



**BRIVISIZE**

Ask your local Brivis dealer to Brivisize your home. Brivisize is a unique sizing tool, ensuring your home is measured up correctly and accurately for all Brivis heating and cooling solutions.

Backed by our Brivis Performance Guarantee, Brivisize is your answer for ultimate peace of mind.

# Heating that doesn't cost the earth


## Benefits of heating with natural gas

Gas is a low cost, low carbon and convenient fuel of choice for Australian consumers when it comes to cooking, hot water and winter heating. Gas fired appliances are proven contributors to reducing greenhouse gas emissions and are efficient and responsive.

More than 100,000 km of gas pipelines around Australia meet the needs of 4.5 million customers with exceptional reliability.\*\*

## Star ratings explained

The star rating on your Ducted Gas Heater helps you compare how much gas your heater is actually using. It's an indicative guide that outlines the running cost of the heater in terms of annual energy usage. The higher the star rating, the more energy efficient the heater is - meaning bigger annual savings on your running costs. On average, an increase of one star means energy usage savings of approximately 10 percent.



\*Energy savings are compared to a standard 3.0 star Ducted Gas Heater. Running Cost Data is based on Australian Standard AS52631.6:2016. House Heat Load 0.2MJ/Hr/m<sup>2</sup> and 600 Hours of operation (100 days at 6 hours per day). Annual Energy Consumption - as per AGA Star Ratings for Ducted Gas Heating Systems. Gas Price = 2.09 cents per MJ/HR\*. Savings based on House Floor Area of 220m<sup>2</sup> for New Homes built pre 2005\*, with 2.4m ceiling. Actual savings may vary due to variations in factors such as fuel costs, house size, thermal insulation and heater usage patterns. \* Source: Sustainability Victoria 2020

# Features and Benefits



### Easy Installation

Internal and external units designed for hasslefree installation, with internal units easy to split and lift for greater flexibility.



### Efficient Energy Rating

With up to 6 star energy rating models available, this high efficiency feature uses less energy and provide long terms savings during the service life of your heater,



### Locally Manufactured

Made in Melbourne under the most stringent standards for quality and performance. Design and manufacture is accredited to ISO9001.



### Add-On ICE Refrigeration

Keep cosy and cool all year round with the Brivis ICE™ refrigeration Add-On available with selected Ducted Heating models. Uses the same ducts for both heating and cooling.



### Zoning

ZonePlus™ allows you to control up to four individual zones each with their own timer, temperature settings and reduced running costs.



### Wi-Fi Control

Enjoy ultimate control of your Ducted Heater or Add-On Cooling from almost anywhere with an Internet connection using the Rinnai Touch™ App.



### Small Spaces

Selected models can be installed sideways for versatile installation in restricted areas.



### Fast Warm Up

It doesn't matter what the temperature is outside, your Brivis Ducted Gas Heater will warm up your whole home before you know it.



### Robust & Reliable

With a history expanding over 50 years in Australia, Brivis are unmatched in reliability. Units are designed to withstand Australia's varied climates and are built to last.




### System Controls

Tailor your comfort levels with our diverse range of controllers. With functionalities including 7-day programmability, preset temperature settings and thermostat control - there's a controller for every need.

# How it works

So simple yet so effective



\*StarPro Range \*\*Excludes Classic Range \*\*\*StarPro 6 series

# Classics

Cost effective in-roof heating

# Buffalo

Perfect changeover solution

## Compact Classic

The Compact Classic range (CC3), as the name suggests, is a compact design for easy installation indoors and in tight spaces. Perfect for new homes, the CC3 is a price conscious, no fuss solution that's easy to install.

### Features

- Excellent value for money
- Three speed fan
- Up to 3.5 star rating
- Low profile, compact & splittable
- Suitable for Bravis ICE™ Add On
- Three year parts & labour warranty



## Wombat Classic

The Bravis Wombat is known for its performance and reliability and has a model to suit virtually any home. The Bravis two-piece Wombat range of heaters have up to 3.8 Star energy rating, making it one of the highest rated 3 Star Ducted Gas Heaters on the market - the best value option in its class.

### Features

- Easy to install
- Splittable for easy handling
- Suitable for Bravis ICE™ Add On
- Five year parts & labour warranty



## Buffalo BX3

If you are one of the thousands of Australians who have enjoyed the performance and reliability of a Bravis Ducted Gas Heater, chances are you are familiar with the Bravis Buffalo heater. After all, there are more Bravis Ducted Gas Heaters installed in Australian homes than any other brand. With models to suit virtually all types of homes, the upgraded Bravis Buffalo external weatherproof units offer greater efficiency and have been reliably keeping Australians warm for over 35 years.

Perfect for those looking to replace their existing heater with an unrivalled dependable low cost option, the Buffalo series has proven performance and a name you can trust.

### Features

- Excellent value for money
- Easy changeover
- Reliable and built to last
- Superior airflow
- Five year parts and labour warranty



## Buffalo BX5

The Bravis Buffalo 5 Star Heater has been designed with efficiency and reliability in mind. The energy efficient Bravis Buffalo 5 star is the perfect solution for replacing or upgrading your existing Buffalo. With savings of \$420\*\* on annual running costs compared to a standard Bravis Buffalo, the Bravis Buffalo 5 star is a simple upgrade choice. Your investment in the Bravis Buffalo 5 star is sure to provide you many years of trouble free, high efficiency comfort, as well as reduced gas consumption.

### Features

- High Efficiency 5 Star rating
- Easy to install
- Zone Plus compatible - up to 4 Zones
- Five year parts & labour warranty
- Great choice for Add-On Ice Cooling



\*For full terms and conditions visit [bravis.com.au](http://bravis.com.au).

\*\*Energy savings are compared to a standard 3.0 star Ducted Gas Heater. Running Cost Data is based on Australian Standard AS5263.1.6:2016. House Heat Load 0.2MJ/Hr/m<sup>3</sup> and 600 Hours of operation (100 days at 6 hours per day). Annual Energy Consumption - as per AGA Star Ratings for Ducted Gas Heating Systems. Gas Price = 2.09 cents per MJ/HR\*. Savings based on House Floor Area of 220m<sup>2</sup> for New Homes built pre 2005\*, with 2.4m ceiling. Actual savings may vary due to variations in factors such as fuel costs, house size, thermal insulation and heater usage patterns. \* Source: Sustainability Victoria 2020

# StarPro

## Premium series

### StarPro 4 Series

Brivis' StarPro 4 boasts up to an impressive 4.8 Star energy efficiency rating, making it one of the highest rated 4 Star Ducted Gas Heaters available.

Due to its flexible installation options the StarPro 4 series is perfect for upgrading your old Ducted Gas Heater. It is an ideal all-round gas heater that's affordable, incredibly efficient and compact.



#### Features

- Five year parts and labour warranty
- Lay down kit (Internal - SP415/SP421)
- ZonePlus™ compatible
- Brivis ICE™ compatible
- Economical to run
- Universal internal/external application
- Outstanding efficiency up to 4.8 Stars

### StarPro 5 Series

Brivis' latest 5 Star non-condensing range of Ducted Gas Heaters delivers excellent efficiency while using less gas to heat your home, all without the need for condensate drains. Brivis can now not only deliver a 5 Star rating without producing condensate, but can offer a cheaper way to get 5 Star efficiency without compromising on quality.

A non-condensing Ducted Gas Heater makes the system easier and faster to install, making it a great option for a new installation or to replace your old heater - meaning lower installation costs.



#### Features

- Five year parts and labour warranty
- Lay down kit (Internal application)
- ZonePlus™ compatible
- Brivis ICE™ compatible
- Cheaper and easier to install
- High efficiency
- Non-condensing 5 Star Rating

### StarPro 6 Series

The Brivis StarPro 6 is the most efficient Ducted Gas Heater in the StarPro range. Cleverly engineered to use less gas than traditional Ducted Gas Heaters through our efficient 4 Pass Heat Exchanger with Modulating Gas Valve - meaning you get superior temperature control and greater efficiency.

In heating mode, Brivis ZonePlus™ allows you to independently zone different temperatures throughout the home with the option to turn off ones not in use, saving you money on running costs.

With Brivis ICE™ compatibility, your 6 Star heater can be your ultimate gas heating and refrigerated cooling solution all year round. Selected models are also available in Universal Liquefied Petroleum Gas (ULPG).



Energy Star Partner only applicable in New Zealand. Applies to StarPro 6 range, not including SP615IN

### Features

- Highest possible gas energy star rating
- Reduced running costs
- Reduced carbon emissions
- Brivis ICE™ compatible
- ZonePlus™ compatible
- Selected models available in ULPG
- Lay down kit (Internal application)
- Five year parts and labour warranty



StarPro 4 Universal (Internal or External)




StarPro 5 External & Internal models



StarPro 6 External & Internal models

\*For full terms and conditions visit [www.brivis.com.au](http://www.brivis.com.au)



# DualComfort™

Add-On Cooling Systems

## DualComfort™ product features

- ZonePlus™ compatible (StarPro heaters only)
- Advanced control options
- Australian designed, locally made for more than 50 years
- Bravis ICE™ Add-On refrigerated cooling system
- Electronic ignition and integrated diagnostics
- Duct work installation flexibility (under floor or in roof space)
- Heating and cooling from the one controller

## Keep your energy costs to a minimum

The combination of Ducted Gas Heating with refrigerative cooling provides a superior whole home climate control solution at an affordable rate.

## The ultimate form of air-conditioning

The system combines the best form of heating and the best form of cooling. It can be zoned, utilises common ductwork and allows you to maintain your desired level of comfort all year.

## Better performance in cold ambient temperatures

The reverse cycle heating capacity of an Air Conditioned reduces and works less efficiently when outside temperatures drop. The heat output and efficiency of a Ducted Gas heater is not impacted by ambient temperature and remains steady.


## Flexible installation options

With the DualComfort™ heating and cooling solution you can install both the gas heating and refrigerated cooling at the same time, or install just the heating first, ready for the cooling to be added in at a later date. Simple. Ask your installer about being Bravis ICE™ ready.


# How it works

Solutions for every home

## DualComfort™ solution for homes built on stumps



## DualComfort™ solution for concrete slab homes



# Zoning

Complete comfort control



Touch App mobile controller, Refer to controllers page for more information

## Introducing Brivis Zoning Solutions\*

### ZonePlus™

For outstanding individual comfort, control and energy management, ZonePlus™ allows you to have up to four individually controlled zones, each with their own time and temperature settings.\*\*

For total flexibility, you can upgrade as many Brivis Temperature Sensors to Brivis NC6 or Touch controllers allowing you to fully control, program and manage each zone – eliminating the need for you to go back to a Master controller. Adjust temperatures for each zone as it suits you from any controller in the home. Perfect comfort, absolute control. ZonePlus™ works in unison with any Brivis StarPro Ducted Gas Heater with 4, 5 and 6 star efficiencies.

### Adaptive Zoning

Allows heating or cooling to be used with one or more Brivis controllers, operating a common zone, as well as up to four additional zones, e.g. lounge room, bedrooms, kitchen/dining etc.

A Brivis NC6 or Touch can simply turn zones on or off to manage only those areas you are using.

## Benefits of ZonePlus™

### Reduce your energy costs

Switching off unused zones not only helps reach your set temperature faster, but will also save you lots on your energy bill. Adjusting your comfort levels moderately can also make big changes to your energy bill.

### Get more comfortable quicker

With the option of Brivis controllers in every zone, you no longer need to rely on one central controller managing your entire home. Controlling your climate is only ever a few steps away. How convenient is that?



Brivis Touch™



Brivis NC6 Networker™



Remote Temp Sensor

\*In some Dual Comfort applications a Constant Zone may be required. Consult your specialist dealer for more information.

\*\* For multi temperature set point (MTSP) systems the zone temperature setpoint can be set independently across all Networker / Touch Controllers or temperature sensors.

# Controllers



## Touch App

Enjoy ultimate control of your Bravis Gas Ducted Heater, Evaporative Cooling or Add-On Cooling from almost anywhere with an Internet connection.

With the ability to turn your unit on/off, set temperatures and modes (heating or cooling) and zone control, complete comfort has never been easier.

- Available on Google Play and App Store.
- Multiple user capability.
- Retrofits to existing Gas Ducted Heaters, Evaporative Cooling and Add-On Cooling with compatible Network Controllers.

## Touch Controller

Comfort is right at your fingertips with the Bravis Touch™ Controller. Control your Bravis Ducted Gas Heater, Evaporative Cooler and Add-On Cooling using its high resolution touchscreen.

With its convenient 7 day programmability function and easy-to-use interface, the Bravis Touch Controller combines the best engineering and technology into one unit.

- Security control prevents unauthorised usage.
- Simple on/off and temperature up/down functionality.
- Inbuilt status monitor.
- Monitors usage and alerts you when it's time to maintain your appliances.
- Facilitates optional on-board zoning functionality and customisation.



## NC6 Networker

The Networker is designed with an easy-to-use rotary dial, an easy-to-read LCD screen and is backlit using Electro-Luminescence (EL) technology, making the screen easier to read in poorly lit areas or at night. The NC6 can operate both a Bravis ducted gas heater as well as a Bravis cooling system, providing total control.



## Programmable Controller

The Programmable Controller can operate in either auto or manual modes. To program you simply preset temperatures and times for the heating/cooling system to turn on and off. This Controller is also suitable for Bravis ICE™ system with the Classic Heater Range.



## Manual Controller

The Manual Controller is a simple to use heating only thermostat with a large easy to read digital display.



## Remote Temperature Sensor for ZonePlus™

For total flexibility when zoning your home a remote temperature sensor, when used with a Touch or Networker control, will help you manage and control temperatures throughout your home.

# Servicing

## Quality service for over 50 years

Bravis products are renowned for their quality, performance and reliability, and have been keeping Australians comfortable for over 50 years. Our commitment to producing exceptionally engineered, high quality products is supported by our manufacturer's warranty through factory-trained professionals, ensuring your ultimate protection and peace of mind.

The Bravis standard parts and labour product warranty is 5 years. Bravis offers the option of extending this warranty up to a further 4 years, for a total of 9-year parts and labour warranty, on Bravis Ducted Gas Heaters<sup>1</sup>. Furthermore, Bravis offers a 10 year warranty on the gas burner, heat exchanger and structural component.

Heating and cooling equipment is subject to normal wear and tear and often operates under extreme conditions. It is recommended that such appliances be serviced and maintained by qualified licensed technicians at a minimum of once every two years to prolong the life of the unit, help keep it running safely and at optimum efficiency.

## Bravis Service Advantage Program

Have complete peace of mind by participating in Bravis' comprehensive Service Advantage Program.

Extend your standard 5 year parts and labour warranty on your Gas Ducted Heater by another 4 years, by registering your product and completing the scheduled servicing using our National Service Network.

Rest assured your appliance will either be repaired or replaced by experienced and qualified technicians using genuine replacement parts.

**Register your system online at:**  
[bravis.com.au/warranty](http://bravis.com.au/warranty)

## We're at your service

The National Customer Care Centre provides first class service and maintenance of you system, ensuring it's running at its highest efficiency so you can enjoy the Bravis experience for many years to come.

Operating 5 days a week  
(Monday to Friday)

**13 43 73**

## Up to 9 years warranty\*



\*5 year + 4 year extended. Conditions apply, visit [Bravis.com.au](http://Bravis.com.au) for full terms and conditions.

# Technical Information



	Classics		Buffalo		StarPro		
Features	Compact Classic	Wombat Classic	Buffalo BX3	Buffalo BX5	StarPro 4	StarPro 5	StarPro 6
Star Rating	★★★	★★★	★★★	★★★★★	★★★★	★★★★★	★★★★★
Heating kW capacities	15 / 19 / 23.5 / 30	15.5 / 21 / 28	15.5 / 20 / 28	20 / 30	15 / 21 / 30 / 35	21 / 30 / 35***	15*** / 23 / 30 / 35
3 Year Parts & Labour Warranty	●						
5 Year Parts & Labour Warranty		●	●	●	●	●	●
9 Year Warranty (5 Year Standard + 4 Years Optional Parts & Labour Extended Warranty**)		●	●	●	●	●	●
Australian Made	●	●	●	●	●	●	●
Electronic spark ignition	●	●	●	●	●	●	●
Powered Flue	●	●	●	●	●	●	●
Internal option	●	●			●	●	●
External option			●	●	●	●	●
Fan Speed Sensing				●	●	●	●
Modulating Gas Valve				●	●	●	●
Internal Unit Lay down option					●#	●	●
Networker compatible	●*	●*	●*	●	●	●	●
Wi-Fi compatible	●*	●*	●*	●	●	●	●
Dual Comfort Add-On Cooling compatible	●^	●^	●^	●^	●	●	●
ZonePlus Compatible				●	●	●	●

\*Additional accessory required  
 \*\*Terms and conditions apply, see rinnai.com.au for more information.  
 \*\*\*Internal only  
 #SP415 & SP421 only  
 ^Selected models

# Technical Information

Brivis Ducted Gas Heater	Star Rating	Capacity (kW)	Airflow (L/s) @ 100Pa ESP	Duct Connection Pop sizes (mm)	Dimensions (L x W x H)	Net Weight (kg)	Available in LPG / ULPG	
<b>StarPro 6 Series</b>								
SP615IN	6.0	15.0	630	300	1021 x 395 x 634	57	-	
SP623EN	6.0	23.0	660	300	1046 x 416 x 750	68	-	
SP623EN-XA	6.0	23.0	705	350	1046 x 416 x 750	68	ULPG	
SP623IN	6.0	23.0	720	300	1021 x 395 x 634	58	-	
SP623IN-XA	6.0	23.0	755	350	1021 x 395 x 634	58	ULPG	
SP630EN	6.0	29.0	890	350	1096 x 568 x 810	89	-	
SP630EN-XA	6.0	29.0	1020	400	1096 x 568 x 810	89	ULPG	
SP630IN	6.0	29.0	1085	350	1070 x 547 x 684	78	-	
SP630IN-XA	6.0	29.0	1120	400	1070 x 547 x 684	78	ULPG	
SP635IN	6.0	35.0	1155	450	1070 x 547 x 684	78	ULPG	
<b>StarPro 5 Series</b>								
SP521EN	5.0	21.0	645	300	1046 x 416 x 657	66	-	
SP521EN-XA	5.0	21.0	685	350	1046 x 416 x 657	66	-	
SP521IN	5.0	21.0	740	300	1021 x 395 x 634	53	-	
SP521IN-XA	5.0	21.0	770	350	1021 x 395 x 634	53	-	
SP530EN	5.0	30.0	995	350	1096 x 568 x 707	85	-	
SP530EN-XA	5.0	30.0	1000	400	1096 x 568 x 707	85	-	
SP530IN	5.0	30.0	1110	350	1070 x 547 x 684	71	-	
SP530IN-XA	5.0	30.0	1170	400	1070 x 547 x 684	71	-	
SP535IN	5.0	35.0	1190	450	1070 x 547 x 684	72	-	
<b>StarPro 4 Series</b>								
SP415UN	4.1	15	555	300	845 x 397 x 775	65	-	
SP421UN	4.8	21	555	300	845 x 397 x 775	65	-	
SP430UN	4.2	30	953	350	923 x 549 x 644	84	-	
SP435UN	4.3	35	1041	400	923 x 549 x 644	84	-	
<b>Buffalo 5 Star Series</b>								
BX520	300mm base box	5.1	20	545	300	852 x 420 x 775	57	-
	350mm base box							
BX526	350mm base box	5.0	30	972	350	1028 x 580 x 866	67	-
	400mm base box							
<b>Compact Classic Series</b>								
CC315IN	3.0	15.0	500	300	724 x 411 x 604	52	LPG	
CC320IN	3.5	19.5	500	300	724 x 411 x 604	53	LPG	
CC320IN-XA	3.5	19.5	570	350	724 x 411 x 604	53	LPG	
CC325IN	3.1	23.5	560	300	724 x 411 x 604	53	LPG	
CC325IN-XA	3.1	23.5	620	350	724 x 411 x 604	53	LPG	
CC330IN	3.3	30.0	940	350	843 x 564 x 640	71	LPG	
CC330IN-XA	3.3	30.0	1000	400	843 x 564 x 640	71	LPG	
<b>Classic Series</b>								
2PW15NNG	3.8	15.5	412	300	1187 x 412 x 704	52	-	
2PW20NNG	3.8	21.0	487	300	1187 x 412 x 704	55	-	
2PW20NXANG	3.8	21.0	519	350	1187 x 412 x 704	55	-	
2PW26NNG	3.7	28.0	885	350	1265 x 538 x 813	67	-	
2PW26NXANG	3.7	28.0	974	400	1265 x 538 x 813	67	-	
BX315	300mm base box	3.9	15.5	461	300	850 x 420 x 775	56	-
BX320	300mm base box	3.8	20.0	541	300	850 x 420 x 775	57	-
	350mm base box							
BX326	350mm base box	3.5	28.0	849	350	1030 x 579 x 894	67	-
	400mm base box							

StarPro 4 Universal unit airflow is for internal application configuration.

Add on ICE™ - DualComfort™								
System Overview		10	13	15	17	18	22	
Power Supply	V-ph-Hz	220-240-1-50				415-3-50		
Cooling Capacity	Mode	Inverter			Conventional			
	Nominal Capacity	kW	10	13	15	17	18	22
	Rated Capacity	kW	10.1	13.07	14.57	16.24	18.2	22.2
	Capacity Range	kW	4.8 - 11.0	6.3 - 14.0	7.5 - 16.0	8.3 - 16.6	N/A	
	Rated Input	W	3.20	4.08	4.67	5.18	5.2	5.84
AEER			3.12	3.20	3.12	3.13	3.50	3.80
ICE™ Outdoor Unit		DONSC10Z71	DONSC13Z71	DONSC15Z71	DONSC17Z71	DO-SC18Z91	DO-SC22Z91	
Power Supply	V-ph-Hz	220-240-1-50				415-3-50		
Maximum Input Current	A	18.0	23.0	25.0	27.0	20.9	20.9	
Compressor	Type	Rotary	Rotary	Rotary	Rotary	Scroll	Scroll	
Sound Pressure Level @3m	dB(A)	61	62	62	62	56	56	
Sound Power Level		70	71	71	71	70	70	
Dimensions	Dimensions (L x W x H)	mm	946 x 410 x 810	952 x 415 x 1333	952 x 415 x 1333	952 x 415 x 1333	1258 x 450 x 1390	1258 x 450 x 1390
	Net Weight	kg	68.5	100	116	130	141	144
Refrigerant Piping	Refrigerant	Type	R410A					
	Gas Connection Size	mm	15.9	19.0	19.0	22.2	22.2	28.6
	Liquid Connection Size	mm	9.5	9.5	9.5	12.7	12.7	12.7
	Recommended Interconnecting Pipe Size - Gas (mm)	1-10m	15.9	19.0	19.0	22.2	22.2	28.6
		10-30m					28.6	28.6
	Recommended Interconnecting Pipe Size - Liquid (mm)	1-10m	9.5	9.5	9.5	12.7	9.52	12.7
		10-30m					12.7	12.7
	Precharged Length	m	15	15	15	15	15	15
Max. Pipe Length	m	65	65	65	55	30	30	
Max. Height Diff (CDU below)	m	30	30	30	30	8	8	
Max. Height Diff (CDU above)	m	30	30	30	30	8	8	
Ambient Temperature Limits	°C	-15 - 50	-15 - 50	-15 - 50	-15 - 50	-5 - 46	-5 - 46	
ICE™ Indoor Unit		DINLU10Z7	DINLU13Z7	DINLU15Z7	DINXU17Z7	DI-XU18Z	DI-XU22Z	
Power Supply	V-ph-Hz	220-240-1-50				N/A		
Description	Type	Compact Coil with Round Duct Connections						
Airflow	Rated	L/s	678	697	830	956	900	1100
	Minimum	L/s	500	550	620	850	750	900
Coil Static Pressure Drop	@ Rated Airflow (Dry / Wet)	Pa	48 / 58	50 / 60	65 / 80	92 / 122	138 / 173	101 / 127
	@ Minimum Airflow (Dry / Wet)	Pa	33 / 38	35 / 40	48 / 60	73 / 98	91 / 114	82 / 103
Dimensions	Dimensions (L x W x H)	mm	823 x 540 x 678	823 x 540 x 678	823 x 540 x 678	777 x 811 x 549	680 x 627 x 542	777 x 748 x 549
	Net Weight	kg	31	31	40	42	36	41
Duct Connection (Outlet)	mm	Ø 400	Ø 450	Ø 450	Ø 450	Ø 450	Ø 500	
Duct Connection (Inlet)	mm	Ø 400	Ø 400	Ø 400	Ø 400	Ø 400	Ø 450	
Condensate Drain Connection	mm	20	20	20	20	20	20	
Refrigerant Pipe Connections	Gas	mm	15.9	19.0	19.0	22.2	22.2	28.6
	Liquid	mm	9.5	9.5	9.5	12.7	12.7	12.7
Operating Temperature Limits	°C	19 - 32	19 - 32	19 - 32	19 - 32	17 - 32	17 - 32	

Rated capacities rated in accordance with AS3823 with 5m charged length. With our policy of continuous improvement, we reserve the right to change, or discontinue at any time, specifications or designs without notice.

Brivis Ducted Gas Heater Compatibility (Table indicates maximum recommended add-on cooling capacity)						
Heater Range	Brivis ICE™ Inverter			Brivis ICE™ Conventional		
	10	13	15	17	18	22
StarPro 6	SP615I	SP623I, SP623E, SP623E XA	SP623I XA	SP630E, SP630E XA, SP630I, SP630I XA	SP635I	
StarPro 5		SP521I, SP521E, SP521E XA	SP521I XA	SP530E, SP530E XA, SP530I, SP530I XA	SP535I	
StarPro 4 Universal	SP415U, SP421U	-	SP430U	SP435U	-	
Buffalo BX5	BX520 XA	-	-	BX526	BX526 XA	-
Classic	BX320 XA, 2PW20N XA	-	BX326	BX326 XA, 2PW26N	2PW26N XA	-
Compact Classic	CC315, CC320, CC320 XA, CC325	CC325 XA	CC330, CC330 XA	-	-	-

Ductwork and fittings for Dual Comfort Systems must be designed and sized by the installer to ensure the minimum cooling airflow requirements are met at all times.

With our policy of continuous improvement, we reserve the right to change, or discontinue at any time, specifications or designs without notice.  
 Note: All images contained within this brochure are for illustrative purposes only, the colours and finishes of the products featured are as close to the respective product range as photographic lighting and printing processes allow.

**Brivis Australia Pty Ltd**

ABN 74 005 138 769

100 Atlantic Drive,  
Keysborough, Victoria 3173

For further information  
call 1300 555 545 or visit  
[brivis.com.au](http://brivis.com.au)

**TOTAL HOME COMFORT**



HOT WATER



HEATING



COOLING

**brivis**  
by Rinnai